

PET FEEDER WITH NODEMCU USING  
MOBILE APPLICATION

MUHAMMAD SODIQ AMIN BIN MOHAMD  
ISA

BACHELOR OF COMPUTER SCIENCE  
(COMPUTER SYSTEMS AND NETWORKING)

UNIVERSITI MALAYSIA PAHANG



### **SUPERVISOR'S DECLARATION**

I hereby declare that I have checked this project, and, in my opinion, this project is adequate in terms of scope and quality for the award of the degree of Bachelor of Computer Science (Computer Systems & Networking).

---

(Supervisor's Signature)

Full Name : DR WAN ISNI SOFIAH BINTI WAN DIN

Position : LECTURER

Date : 12 DECEMBER 2018



### **STUDENT'S DECLARATION**

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

---

(Student's Signature)

Full Name : MUHAMMAD SODIQ AMIN BIN MOHAMD ISA  
ID Number : CA15052  
Date : 12 DECEMBER 2018

PET FEEDER WITH NODEMCU USING MOBILE APPLICATION

MUHAMMAD SODIQ AMIN BIN MOHAMD ISA

Thesis submitted in fulfillment of the requirements  
for the award of the degree of  
Bachelor of Computer Science (Computer Systems and Networking)

Faculty of Computer Systems & Software Engineering  
UNIVERSITI MALAYSIA PAHANG

DECEMBER 2018

## ACKNOWLEDGEMENTS

*“In the Name of ALLAH, Most Gracious, Most Merciful and big Gratitude to Prophet Muhammad SAW”*

Alhamdulillah, praises and thanks to Allah because of His Almighty and His utmost blessings, I was able to finish this project within the time duration. Firstly, my special thanks to my supervisor, Dr Wan Isni Sofiah binti Wan Din for the ideas, patience, motivated advices, constructive criticism, spending times, morale support and guiding me throughout every process in completion of this project.

Special appreciation also goes to my beloved parents and whole family especially my mother, Rosmawati binti Abdul Rashid for her understanding and always prays for my success to reach this path of study.

Last but not least, I would like to give my gratitude to all my lecturers and my entire classmate friends that involve in discussion, sharing idea and knowledge, brainstorming together and also help and support me to complete my every task on this project.

*May Allah S.W.T bless all of you. Thank You.*

## **ABSTRAK**

Pada masa kini, haiwan peliharaan dianggap sebagai teman hidup. Walau bagaimanapun, mengurus haiwan peliharaan kadangkala adalah tugas yang berat untuk pemiliknya terutama apabila tiada seorang pun di rumah. Kebanyakan pemilik haiwan kesayangan tidak boleh tinggal di rumah setiap kali untuk memberi makan haiwan mereka dengan kerap, namun haiwan kesayangan mereka perlu diberi makan sepanjang hari. Oleh itu, dengan pembangunan Pemberi Makanan Haiwan menggunakan NodeMCU dan Aplikasi Mudah Alih akan mengatasi masalah ini. Sistem ini akan membantu dan membenarkan pemilik dari jauh memberi makan haiwan mereka pada masa tertentu tanpa perlu hadir di lokasi pemakanan. Bagi membangunkan system ini, kaedah yang digunakan ialah Air Terjun Iteratif. Kaedah ini dibahagikan kepada empat fasa bermula dari Analisis Keperluan, Reka Bentuk, Pelaksanaan dan Pengujian. Metodologi Air Terjun Iteratif akan menghasilkan perisian yang berfungsi dengan cepat dan awal dalam perisian kitaran hayat Seterusnya, haiwan kesayangan dapat menikmati makanan mereka tanpa kehadiran pemilik sementara pemilik dapat menikmati kerja dan perjalanan tanpa perlu khuatir tentang memberi makan haiwan peliharaan mereka. Projek ini berjaya di bangunkan yang membolehkan pemilik memberi makanan haiwan mereka jauh dari rumah dan haiwan peliharaan dapat menikmati makanan pada waktu yang tepat.

## **ABSTRACT**

Nowadays, pets are considered as a life companion. However, managing pets sometimes is such a nuisance task for the owner especially when no one is at home. Most pet owners cannot stay at home every time to feed their pet regularly, yet their pets need to be fed throughout the day. Therefore, with a development of Pet Feeder with NodeMCU using Mobile Application will overcome this problem, this system will assist and allow owner to remotely feed their pets at a specific time without having to present at the feeding location. Iterative Waterfall method has been used to develop this system. This method is divided into four phases starting from Requirement Analysis, Design, Implementation and Testing. Iterative waterfall methodology will produce software that works quickly and early in the life cycle software. Next, pets can have their food without the present of owners while owners can enjoy works and travelling without having worries about feeding their pets. This project has been successfully developed which enable owners to feed their pets remotely away from home and pets gets food at the right time.

## **TABLE OF CONTENT**

**DECLARATION**

**TITLE PAGE**

**ACKNOWLEDGEMENTS** **ii**

**ABSTRAK** **iii**

**ABSTRACT** **iv**

**TABLE OF CONTENT** **v**

**LIST OF TABLES** **viii**

**LIST OF FIGURES** **ix**

**LIST OF ABBREVIATIONS** **x**

**CHAPTER 1 INTRODUCTION** **1**

1.1 INTRODUCTION 1

1.2 PROBLEM STATEMENT 2

1.3 OBJECTIVE 2

1.4 SCOPE 3

1.5 REPORT ORGANIZATION 3

**CHAPTER 2 LITERATURE REVIEW** **5**

2.1 INTRODUCTION 5

2.2 EXISTING SYSTEMS 5

2.2.1 Smart Dog Feeder Design Using Wireless Communication,  
MQTT and Android Client 5

2.2.2 GEMPET PF-103 SmartFeeder 7

2.2.3 Automatic Fish Feeder System Using PIC Microcontroller 8



2.3	COMPARING THE EXISTING SYSTEM	9
2.4	CONCLUSION	10
<b>CHAPTER 3 METHODOLOGY</b>		<b>11</b>
3.1	INTRODUCTION	11
3.2	PROJECT METHODOLOGY FRAMEWORK	11
3.3	OVERVIEW OF METHODOLOGY	13
3.4	REQUIREMENT GATHERING AND ANALYSIS	14
3.4.1	Feasibility Study	14
3.4.2	Hardware and Software Comparison	15
3.5	DESIGN	18
3.5.1	Context Diagram	19
3.5.2	Data Flow Diagram	20
3.5.3	Hardware and Software Specification	21
3.5.4	General Process Flow Diagram	26
3.6	IMPLEMENTATION	27
3.6.1	Project Timeline	28
3.7	PROTOTYPE	28
3.8	TESTING	28
3.9	SUMMARY	29
<b>CHAPTER 4 RESULTS AND DISCUSSION</b>		<b>30</b>
4.1	INTRODUCTION	30
4.2	IMPLEMENTATION REQUIREMENTS	30
4.2.1	Implementation of Database	31
4.2.2	Implementation of Hardware	32

4.3	PROJECT TESTING	36
4.3.1	Development of Mobile Application	36
4.4	CONCLUSION	40
4.5	SUMMARY	40
<b>CHAPTER 5 CONCLUSION AND RECOMMENDATIONS</b>		<b>41</b>
5.1	INTRODUCTION	41
5.2	LIMITATION OF THE PROJECT	41
5.3	RECOMMENDATION	41
5.4	CONCLUSION	42
<b>REFERENCES</b>		<b>43</b>
<b>APPENDIX A Gantt Chart</b>		<b>45</b>
<b>APPENDIX B Coding</b>		<b>46</b>
<b>APPENDIX C Prototype Pet Feeder</b>		<b>54</b>

## **LIST OF TABLES**

Table 2.1	Comparisons between Existing Systems	9
Table 3.1	Project Methodology Description	13
Table 3.2	Comparison of Servo Motor	15
Table 3.3	Comparison of Power Supply	16
Table 3.4	Comparison of Device.	16
Table 3.5	Comparison of Sensor.	17
Table 3.6	Comparison of Mobile Platform.	17
Table 3.7	Comparison of Code Implementation.	18
Table 3.8	Hardware Requirement Description	21
Table 3.9	Software had been used	25

## LIST OF FIGURES

Figure 2.1	Diagram of Smart Dog Feeder.	6
Figure 2.2	GEMPET SmartFeeder.	7
Figure 2.3	Mechanical Design of the system.	8
Figure 3.1	Iterative Waterfall Methodology.	12
Figure 3.2	Context Diagram for Pet Feeder	19
Figure 3.3	Data Flow Diagram (DFD) for Pet Feeder	20
Figure 3.4	NodeMCU ESP8266 Wi-Fi Controller Board ESP-12.	22
Figure 3.5	NodeMCU GPIO pin.	23
Figure 3.6	Servo Motor MG995.	23
Figure 3.7	Servo Motor rotation calculation.	24
Figure 3.8	Battery 6V Holder.	24
Figure 3.9	Ultrasonic Sensor HC-SR04.	25
Figure 3.10	Pet Feeder data flow diagram.	27
Figure 3.11	Project timeline.	28
Figure 4.1	Firebase Get Started Web Page.	31
Figure 4.2	Firebase Authentication Data.	32
Figure 4.3	Pet Feeder connected circuit.	33
Figure 4.4	Arduino IDE Windows Application	34
Figure 4.5	Void setup program code.	35
Figure 4.6	Void food_qty_state() functions.	35
Figure 4.7	Homepage.java code in Android Studio.	36
Figure 4.8	First page for Mobile Application.	37
Figure 4.9	Homepage for Mobile Application.	38
Figure 4.10	Add Pet info page.	39
Figure 4.11	Feeding timer for pet.	39

## **LIST OF ABBREVIATIONS**

PWM	Pulse Width Modulation
GPIO	General-Purpose Input Output
RM	Ringgit Malaysia
DC	Duty Cycle
MQTT	Message Queuing Telemetry Transport
RFID	Radio-frequency Identification
JSON	JavaScript Object Notation
SSL/TLS	Secure Sockets Layer / Transport Layer Security
IOS	iPhone OS
CPU	Central Processing Unit
PIC	Peripheral Interface Controller
V	Voltage
GPRS	General Packet Radio Service
GSM	Global System for Mobile communications
QFN	Quad-Flat No-Leads
OS	Operating System
RAM	Random-Access Memory
TB	Terabyte
HDD	Hard Disk Drive
IDE	Integrated Development Environment
DFD	Data Flow Diagram

## **CHAPTER 1**

### **INTRODUCTION**

#### **1.1 INTRODUCTION**

Cats are the most popular pets (Hodgson & Barton, 2015) among other animal where people having them as a companion in daily life. There are many types of cats in this world, such as British Short Hair, American Short Hair, Bengal cat, Persian cat and many more. Number of cats that being pet are increase from day by day especially in Malaysia.

Many commitments are requested to keep pets while there are families do not always have the right knowledge to manage them (Russo, Vergnano, Bergero, & Prola, 2017). Part of it are concern, keeping them company, and the important one is feeding pets in the right way and on the time. However, taking care of pet's diet can be hard and time consuming because not everyone is a pet expert. One of the top health concerns of pets are overeating and obesity. Just as in humans, excessive fat in pets increases the risk of often-preventable health conditions (Increase et al., 2015). Especially at younger age, they are usually satisfied with whatever much is given to them.

Pet Feeder with NodeMCU using Mobile Application is the system that can help the pet's owner to feed their pet either using mobile application or manual feeding. This system also has function that can feed pet, schedule feed, save pets name and check the quantity of food left on the container.

## **1.2 PROBLEM STATEMENT**

In this globalization era, people are tending to spend most of their plenty time outside their house. A companion like a pet are seem needed in our daily life as a stress takes a toll on our life. Such an irony, a pet can company their owner and fulfil their need, but the owners themselves are not able to prepare their pets' priority such as food and water. Pet owners had been facing with the problem due to how they can feed their pet properly when they are not at home.

Pet owners are being warned that having a pet means they have contributed extra commitment to give the best support and care to them. Based on industry revenue, there are increasing demand in Asian markets for quality pet food (Balzer, 2015). Unfortunately, there are certain pet owners did not have much energy or time to fulfil their pets' food because owners might not always be at home regularly. Their personal plan is like travelling and working, will cause them dilemma. The dilemma deal by the pet owners can tend to unforeseen animal abuse due to lack of feeding. Other than that, pet owners may find themselves making troubling their families and friends to babysit their pet while they are away, which manage be unsuited after some haunt requests.

The Pet Feeder with NodeMCU using Mobile Application will be able to help both owners and their pets happy. It is designed to make sure the problem that all pet owners are facing will be ended. It may provide awareness to pet owners of its advantages and feasibility in the future, with the opportunity that similar Pet Feeder with NodeMCU using Mobile Application are not common in Malaysia.

## **1.3 OBJECTIVE**

Goals that are intended to be achieved on this project is to develop a Pet Feeder with NodeMCU using Mobile Application. The main objective are the specific actions that need to be achieved on this research which deeply focus on aspect as below:

- (i) To investigate the existing product of pet feeding.
- (ii) To design Pet Feeder with NodeMCU using Mobile Application.
- (iii) To evaluate the performance of the Pet Feeder with NodeMCU using Mobile Application.

## **1.4 SCOPE**

Scope is a principal element to make sure this project achieves their objective. Moreover, scope of this project has been agreed upon discussion. The agreed scope of this projects is:

(i) User Scope:

For the user scope, it was limited for the cat only. It is because Pet Feeder with NodeMCU using Mobile Application must be tested on the pet, and the only pet that available to be testes are cat only.

(ii) Function available:

a. Manual feeding

Pet owner can feed their pet manually when they are in the home with only pressing the button on Pet Feeder.

b. Automatic feeding.

Pet owner can feed their pet automatically when they are not in the home using mobile application.

c. Schedule feeding.

Pet owners can feed their pet schedulable when there are in or not in the home to prevent from forget to feed them.

## **1.5 REPORT ORGANIZATION**

This project consists of five chapters. Chapter 1consist of introduction about this project and continue with the problem statement which identified where it leads to the development of the solution system discusses on the project. Then, it will follow with the objective of this project. Lastly is the scope and thesis organization about this project.



## REFERENCES

1. Balzer, M. (2015). Australian Veterinary Journal, 93(11).
2. Hodgson, K., & Barton, L. (2015). Pets' Impact on Your Patients' Health: Leveraging Benefits and Mitigating Risk, 28(4), 526–534.
3. Increase, S., Data, O. R., Prevention, P. O., Shortens, O., Just, L., Conditions, M. C. O. Additionally, S. Pet Obesity Epidemic Fact Sheet Financial Costs of Pet Obesity (2015).
4. Russo, N., Vergnano, D., Bergero, D., & Prola, L. (2017). veterinary sciences Small Pilot Survey on Parents' Perception of the Relationship between Children and Pets, 1–5.
5. Jempet. (2018, March 14). JemPet SmartFeeder, Automatic Pet Feeder controlled With Your Iphone,Andriod or other smart devices. Retrieved from <https://jem.pet/products/gempet-smartfeeder-automatic-pet-feeder-controlled-with-your-iphone-andriod-or-other-smart-devices>
6. Noor, M. Z. H., Hussian, A. K., Saaid, M. F., Ali, M. S. A. M., & Zolkapli, M. (2012). The design and development of automatic fish feeder system using PIC microcontroller. Proceedings - 2012 IEEE Control and System Graduate Research Colloquium, ICSGRC 2012, (Icsgrc), 343–347.
7. Vania, Karyono, K., & Nugroho, I. H. T. (2017). Smart dog feeder design using wireless communication, MQTT and Android client. Proceeding - 2016 International Conference on Computer, Control, Informatics and Its Applications: Recent Progress in Computer, Control, and Informatics for Data Science, IC3INA 2016, 191–196.
8. Kramer, M. (2018). Lifecycle: An Analyses Based On The Waterfall Model, 9(1), 77–84.
9. Trivedi, P., & Sharma, A. (2013). A Comparative Study between Iterative Waterfall and Incremental Software Development Life Cycle Model for Optimizing the Resources Using Computer Simulation.
10. Tony. (2018, April 14). Educational flaws: Programming with the Waterfall Model. Retrieved from <http://compsci.ca/blog/educational-flaws-programming-with-the-waterfall-model/>

11. Kumar, D. (2015). Advantages and Disadvantages of Waterfall Model. Retrieved from <http://istqbexamcertification.com/what-is-waterfall-model-advantages-disadvantages-and-when-to-use-it/>
12. IoT LoLin NodeMCU ESP8266 Wifi Controller Board ESP-12: Best Price in Malaysia. (n.d.). Retrieved from <https://www.lelong.com.my/iot-lolin-nodemcu-esp8266-wifi-controller-board-esp-12-arelectronics-F528319-2007-01-Sale-I.htm>
13. NODEMCU–Getting Started with Arduino Core 1. GPIO pins & Network Access. (2017, October 21). Retrieved from <https://alselectro.wordpress.com/2017/10/21/nodemcu-getting-started-with-arduino-core-1-gpio-pins-network-access>
14. Components101 (2018, April 17). Servo Motor SG-90. Retrieved from <https://components101.com/servo-motor-basics-pinout-datasheet>
15. RPI Labs (2018, April 17). How is a Servo Controlled? Retrieved from <http://rpi.science.uoit.ca/lab/servo/>
16. 2018 Holder 6v Battery. (n.d.). Retrieved from <https://www.dhgate.com/product/battery-storage-case-box-holder-4-aa-1-5v/401926616.html>
17. How Much Food Should I Feed My Cat? (n.d.). Retrieved from <https://www.animalwised.com/how-much-food-should-i-feed-my-cat-2016.html>